

<b>NAME:</b> <u>LYNX BLUE</u>	
<b>REFERENCE:</b> <u>1257.51</u>	
<b>FAMILY:</b> <u>II</u>	

PRODUCT DESCRIPTION	
<b>CERTIFICATION NORM:</b> <u>EN ISO 20345:2011</u> Additional requirement: <u>IEC 61340-4-3</u>	<b>PROTECTION CATEGORY:</b> <u>S3 SRC</u> <u>ESD</u>
<b>PROTECTION TOECAP:</b> <u>COMPOSITE (resistant at impact 200J and compression 15kN)</u>	<b>PROTECTION INSERT:</b> <u>KEVLAR (penetration resistant at 1100N)</u>
<b>SIZES:</b> <u>39 to 48</u>	<b>COLOUR:</b> <u>BLACK/BLUE</u>
<b>UPPER RAW MATERIALS:</b> <b>UPPER:</b> <u>WR BREATHABLE HI-TECH MF</u>	<b>LINING MATERIALS:</b> <u>DRYTEX PLUS BLUE</u>
<b>OUTSOLE:</b> <u>Direct injected double density PU</u>	<b>IN SOCK:</b> <u>LAVORO ANTISTATIC</u>
<b>OTHER CHARACTERISTICS:</b> <ul style="list-style-type: none"> <li>▪ Direct Injected double density PU outsole: anti vibration, antistatic, lateral stability, resistance at hydrolysis, resistance to fuel oil, energy absorption on seat region;</li> <li>▪ Electric Static Discharge (ESD) – IEC 61340-4-3</li> <li>▪ DRYTEX PLUS - Textile absorbing lining;</li> <li>▪ 100% Metal Free</li> <li>▪ 100% Leather Free</li> <li>▪ Use for: all year</li> </ul>	
<b>PRODUCT APPLICATIONS:</b> OUTDOOR ⊗ <u>Transport and distribution; Engineering</u> INDOOR ⊗ <u>Electronic Industry; Warehouse</u> SPECIALS ○ _____	